1.				
	basic data types no matter what programming languages are used to develop the			
	applications.			
a.	Common Type System			
b.	Common File system			
c.	Common System Specification			
d.	Common Langauage Specification			
2. What is the full for of IDE?				
	a. Internet Development Environment			
	b. Integrated Development Environment			
	c. Internal Development Environment			
	d. Integrated Data Environment			
3.	In Garbage Collection, The objects in are long lived such as static objects as they			
	remain in the heap memory for the whole process duration.			
	a. Generation -0			
	b. Generation - 1			
	c. Generation - 2			
	d. Generation-3			
1	The .NET Framework is divided into two main components: &			
→.	. The .NET Framework is divided into two main components: &			
	a. Framework Class Library & Common Language Runtime			
	b. Common Type System & Common Language Runtime			
	c. Common Language Specification & Common Language Runtime			
5.	d. Framework Class Library & Garbage Collection  .NET Framework Class library Structure's related classes are organised into groups called			
٦.	.NET Framework class library structure's related classes are organised into groups called			
	a. Files			
	b. Namespaces			
	c. Structure			
	d. Sub-Classes			
6. Which of the following control is a server-side equivalent of the <ul> (unord</ul>				
<ol> <li>(ordered list) elements.</li> </ol>				
	A. ListBox			
	B. DropDownList			
	C. BulletedList			
	D. CheckBoxList			
7.	What is the last event of web page life cycle?			
	A. Page_Load			
	B. Page_LoadComplete			
	C. Page_Finish			
	D. Page_Unload			
8.	Application_Start event is available in			
	A. Web.config			
	B. Local.asax			
	C. Global.asax			
	D. App_data			

9.	. What property do you modify on a server control to minimize the size of the ViewState data		
	A.	ViewState="true"	
	B.	Set EnableViewState to false.	
	C.	Set EnableViewState to true.	
	D.	None of the above	
10.	When do	pes Garbage collector run?	
	A.	When application is running low of memory	
	В.	It runs random	
	C.	When application is running for more than 15 minutes	
	D.	None of the above	
11.	Which o	of the following is the Object Oriented way of handling run-time errors?	
	A.	onError	
		Exception	
		Errorcode	
	D.	Heresult	
12.		not state management techniques	
		session	
		application	
		view	
		sessionless	
13.	Α	postback is a technique that extends the postback mechanism.	
		A. pageing	
		B. Cookies	
		C. URL encoding	
4.4	(TDI	D. cross-page	
14.		is the portion of the URL after the question mark.	
		A. string	
		B. URL encoding	
		C. query string	
1 [		D. app string	
15.	Object	allows you to store global objects that can be accessed by any client.	
	Access		
	Stateless	,	
	Applicat		
υ.	Арриса	non state	
		_ provides the number of items in the current session collection	
	Item		
	ID		
	Count		
	Number		
		ng is not standard symbol used in query	
A.			
B.			
C.	:		
D.	&		

]	Following is not SQL aggregate function  A. Avg  B. Sum  C. Mul
19. 1	D. Count fill() is method of A. datatable B. dataset C. data adapter D. datareader
20. ]	<ul> <li>In ASP .NET binding types are</li> <li>A. Single and repeated value binding</li> <li>B. Single and Multi value binding</li> <li>C. Single and multiple value binding</li> <li>D. None of these</li> </ul>
A. S B. I C. I D. I	"Single-value data binding allows you to take a variable, a property, or an expression and insert it" Satically Dynamically Both None of these Where do you set authentication mode in ASP.Net application A. Using global.asax file B. Using cookies C. Using webconfig file D. Using web services
23. \	Which of the following is TRUE about Windows Authentication in ASP.NET?  A. Automatically determines role membership  B. Role membership determined only by user programming  C. ASP.NET does not support Windows Authentication  D. ASP.Net does not support Authorization
	element in the web.config file to run code using the permissions of a specific user

- A. < credential> element
- B. < authentication> element
- C. < authorization> element
- D. < identity> element
- 25. XML is much more similar like \_\_\_\_\_.
  - A. JavaScript
  - B. C Programming
  - C. CSS
  - D. HTML